

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Selenium Sulfide

1. Product and Company Identification

Trade Name: Selenium Sulfide

Chemical Formula: SeS₂

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H301+H331: Toxic if swallowed or if inhaled

H373: May cause damage to organs through prolonged or repeated

exposure

H410: Very toxic to aquatic life with long lasting effects

Precautionary Statements: P260: Do not breathe dust/fume/gas/mist/vapours/spray

P264: Wash skin thoroughly after handling

P270: Do not eat, drink or smoke when using this product P271: Use only outdoors or in a well-ventilated area P273:

Avoid release to the environment

P301+P310+ P330: IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician. Rinse mouth

P304+P340+P311: IF INHALED: Remove victim to fresh air and keep

at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician

P314: Get Medical advice/attention if you feel unwell

P391: Collect spillage

P403+P233: Store in a well-ventilated place. Keep container tightly

closed

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2
Flammability: 1
Physical: 1

3. Composition	
Chemical Family:	Ceramic
Additional Names:	Selenium disulfide, Selenium disulphide, Selenium sulphide
Selenium Sulfide (SeS ₂):	
Percentage:	0-100 wt%
CAS #:	7488-56-4
EC #:	231-303-8
	4. First Aid Procedures
General Treatment:	Immediately remove any soiled clothing. Remove breathing apparatus only after removing the contaminated clothing. In case of irregular breathing or respiratory arrest provide artificial breathing. Seek medical attention.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult. Keep victim warm. Seek medical attention.
Ingestion: Skin:	Do not induce vomiting. Immediately seek medical attention. Wash affected area with mild soap and water. Remove any
Eyes:	contaminated clothing. Seek medical attention. Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention.
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	Use water spray, alcohol-resistant foam, dry chemical or carbon
Extinguishing Media.	dioxide.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled: Environmental Precautions:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. Isolate runoff to prevent environmental pollution. Discharge into the
	environment should be avoided.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Ventilation:	compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.2 mg/m³ as Se, long-term value Threshold Limit Value: 0.2 mg/m³ as Se, long-term value

Special Equipment: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100 feet per

minute.

Respiratory Protection:
Protective Gloves:

Dust Respirator
Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Red-brown

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: **Odorless** Water Solubility: Insoluble **Boiling Point:** N/A Melting Point: <100°C Flash Point: N/A **Autoignition Temperature:** N/A 3.05 g/cc Density: 111.89 g/mol Molecular weight:

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Oxidizing agents

Incompatible Conditions: Organic materials, strong acids and Ammonia

Hazardous Decomposition Products: Toxic metal oxide fume, Sulphur oxides, selenium oxides, hydrogen

selenide, hydrogen sulfide

11. Toxicological Information

Potential Health Effects:

Eyes:Causes irritationSkin:Causes irritationIngestion:Toxic if ingestedInhalation:Toxic if inhaled

Chronic: N/A

Signs & Symptoms: Cough, Shortness of breath, Headache, Nausea, Vomiting

Aggravated Medical Conditions: N/A

Median Lethal Dose: 138 mg/kg for rat by mouth

Carcinogen: IARC: No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

OSHA.

EPA-D: Not classifiable as to human carcinogenicity: Inadequate human and animal evidence of carcinogenicity or no data are available.

12. . Ecological Information

Aquatic Toxicity: N/A
Persistent Bioaccumulation Toxicity: No
Very Persistent, Very Bioaccumulative: No

Very Persistent, Very Bioaccumulative: Notes:

Do not allow material to be released into the environment without

proper governmental permits.

Do not allow product to reach ground water, water course, or sewage

system, even in small quantities.

Danger to drinking water if even extremely small quantities leakinto

the ground.

Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment. Very toxic for aquatic organisms.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous for transportation.



Hazard Class: 6.1 Toxic substance

Packing Group:

UN Number:

2657

Proper Shipping Name: Selenium Disulfide

15. . Regulatory Information

Sec 302 Extremely Hazardous:

No
Sec 304 Reportable Quantities:

N/A
Sec 313 Toxic Chemicals:

Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 11/13/2016